

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 7/9/2024 Revision date: 7/9/2024 Supersedes: 10/6/2014 Version: 3.0

# **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Product name : Gard™ HydraGard™ Compressor Oil ISO 32

Product code : 594048

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Lubricating oil

#### 1.3. Supplier

Martin Lubricants 484 East 6th St. Smackover, AR 71762

### 1.4. Emergency telephone number

Emergency number : CHEMTREC (800) 424-9300

# **SECTION 2: Hazard(s) identification**

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Not classified

## 2.2. GHS Label elements, including precautionary statements

#### **GHS US labelling**

No labelling applicable

## 2.3. Other hazards which do not result in classification

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

No additional information available

## **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%
Lubricating oils, petroleum, hydrotreated spent	CAS-No.: 64742-58-1	≥ 70
Distillates, hydrotreated heavy paraffinic	CAS-No.: 64742-54-7	0.15 – 0.21

Full text of hazard classes and H-statements : see section 16

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

7/9/2024 (Revision date) US - en 2/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Gard™ HydraGard™ Compressor Oil ISO 32

No additional information available

#### Lubricating oils, petroleum, hydrotreated spent (64742-58-1)

No additional information available

#### Distillates, hydrotreated heavy paraffinic (64742-54-7)

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

## 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

# Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

## Personal protective equipment symbol(s):







7/9/2024 (Revision date) US - en 3/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Amber, clear liquid.

Colour : Amber

Odour : Mild petroleum; Hydrocarbon

Odour threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available

Boiling point : Not determined. Expected to be > 260°C (500°F)

Flash point : 439 °F

Relative evaporation rate (butylacetate=1) : Negligible at STP

Flammability (solid, gas) : Flash Point at or above 200 °F

Not applicable. Negligible at STP

Relative vapour density at 20  $^{\circ}$ C : > 1 at STP Relative density : 0.867 Density : 7.231 lb/gal

Solubility : Material nearly insoluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : 31.12 mm<sup>2</sup>/s at 104°F Viscosity, dynamic No data available No data available Explosive limits Explosive properties No data available Oxidising properties No data available

#### 9.2. Other information

Vapour pressure

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

7/9/2024 (Revision date) US - en 4/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

# Distillates, hydrotreated heavy paraffinic (64742-54-7)

LD50 oral rat	> 15000 mg/kg Source: IUCLID
LD50 dermal rabbit	> 5000 mg/kg Source: IUCLID

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity Carcinogenicity : Not classified. Reproductive toxicity : Not classified STOT-single exposure Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic 31.12 mm<sup>2</sup>/s at 104°F

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Distillates, hydrotreated heavy paraffinic (64742-54-7)		
LC50 - Fish [1]	> 5000 mg/l	
EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID	
EC50 96h - Algae [1]	> 1000 mg/l Source: IUCLID	

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

Distillates, hydrotreated heavy paraffinic (64742-54-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID	

# 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects

No additional information available

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA			
14.1. UN number						
Not regulated for transport						
14.2. Proper Shipping Name						
Not regulated	Not regulated	Not regulated	Not regulated			
14.3. Transport hazard class(es)						
Not regulated	Not regulated	Not regulated	Not regulated			
14.4. Packing group						
Not regulated	Not regulated	Not regulated	Not regulated			
14.5. Environmental hazards						
Not regulated	Not regulated	Not regulated	Not regulated			
No supplementary information available						

## 14.6. Special precautions for user

**DOT** 

Not regulated

**TDG** 

Not regulated

**IMDG** 

Not regulated

IATA

Not regulated

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	Present	Active	
Distillates, hydrotreated heavy paraffinic	64742-54-7	Present	Active	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### **CANADA**

## Lubricating oils, petroleum, hydrotreated spent (64742-58-1)

Listed on the Canadian DSL (Domestic Substances List)

#### Distillates, hydrotreated heavy paraffinic (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

#### Lubricating oils, petroleum, hydrotreated spent (64742-58-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Distillates, hydrotreated heavy paraffinic (64742-54-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

#### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 7/9/2024

Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : B - Safety glasses, Gloves

Safety Data Sheet (SDS), USA

Information provided in this Safety Data Sheet is considered accurate and reliable based on information issued from internal and outside sources to the best of Martin Operating Partnership L.P.'s knowledge; however, Martin Operating Partnership L.P. makes no representations, guarantees or warranties, expressed or implied, of merchantability or fitness for the particular purpose, regarding the accuracy of such information or the result to be obtained from the use thereof or as to the sufficiency of information herein presented. Martin Operating Partnership L.P. assumes no responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.

This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, Martin Operating Partnership L.P., must rely upon information provided by the material manufacturers or distributors.