

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 1/25/2023 Revision date: 1/25/2023 Supersedes: 2/6/2018 Version: 1.1

SECTION 1: Identification					
1.1. Identification					
Product form Product name Product code	: Mixture : SafeGard Ashless 30 / 40 NGEO : 589071 / 589089				
1.2. Recommended use and restrictions of	n use				
Use of the substance/mixture	: Lubricating oil				
1.3. Supplier					
Martin Lubricants 484 East 6th St. Smackover, AR 71762					
1.4. Emergency telephone number					
Emergency number	: CHEMTREC (800) 424-9300				
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mix	ture				
GHS US classification Not classified					
2.2. GHS Label elements, including precau	utionary statements				
GHS US labelling No labelling applicable					
2.3. Other hazards which do not result in classification					
No additional information available					
2.4. Unknown acute toxicity (GHS US)					
Not applicable					
SECTION 3: Composition/information on ingredients					
3.1. Substances					
Niet en Beelde					

### Not applicable

3.2. Mixtures		
Name	Product identifier	%
Distillates, hydrotreated heavy paraffinic	CAS-No.: 64742-54-7	≥ 70
Lubricating oils, petroleum, hydrotreated spent	CAS-No.: 64742-58-1	10 – 20
White Mineral Oil	CAS-No.: 8042-47-5	1– 5

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%
01154100-5153P	CAS-No.: Trade Secret	0.05 – 0.5
Distillates (petroleum), hydrotreated middle	CAS-No.: 64742-46-7	0.01 – 0.02

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.

: Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

First-aid measures after ingestion

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures				
5.1. Suitable (and unsuitable) extinguishing media				
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.			
5.2. Specific hazards arising from the chem	-			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.			
5.3. Special protective equipment and precautions for fire-fighters				
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.			

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel Emergency procedures : Ventilate spillage area.			
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment and cleaning up			

Methods for cleaning up	:	Take up liquid spill into absorbent material.
Other information	:	Dispose of materials or solid residues at an authorized site.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling : Hygiene measures :	<ul> <li>Ensure good ventilation of the work station. Wear personal protective equipment.</li> <li>Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>			
7.2. Conditions for safe storage, including an	y incompatibilities			
Storage conditions :	: Store in a well-ventilated place. Keep cool.			
SECTION 8: Exposure controls/personal	protection			
8.1. Control parameters				
SafeGard Ashless 30 / 40 NGEO				
No additional information available				
Distillates, hydrotreated heavy paraffinic (64	742-54-7)			
No additional information available				
Lubricating oils, petroleum, hydrotreated spo	ent (64742-58-1)			
No additional information available				
White Mineral Oil (8042-47-5)				
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA	5 mg/m³			
Distillates (petroleum), hydrotreated middle	(64742-46-7)			
No additional information available				
01154100-5153P (Trade Secret)				
No additional information available				
8.2. Appropriate engineering controls				
Appropriate engineering controls       :         Environmental exposure controls       :	Ensure good ventilation of the work station. Avoid release to the environment.			
8.3. Individual protection measures/Personal	protective equipment			
Hand protection:				
Protective gloves				
Eye protection:				
Safety glasses				
Skin and body protection:				
Wear suitable protective clothing				

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

### Personal protective equipment symbol(s):



## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Mixture contains one or more component(s) which have the following colour(s):
	Colourless to white
Odour	: Hydrocarbon
Odour threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 256 – 268 °C
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.8702 – 0.886
Density	: 7.394 – 7.426 lb/gal
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: 110.5 – 145.95 mm²/s @ 40°C
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### **10.2. Chemical stability**

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **10.4. Conditions to avoid**

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials** 

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information** 11.1. Information on toxicological effects Acute toxicity (oral) : Not classified Not classified Acute toxicity (dermal) · Not classified Acute toxicity (inhalation) · Distillates, hydrotreated heavy paraffinic (64742-54-7) LD50 oral rat > 15000 mg/kg Source: IUCLID > 5000 mg/kg Source: IUCLID LD50 dermal rabbit White Mineral Oil (8042-47-5) LD50 oral rat > 5000 mg/kg bodyweight LD50 dermal rabbit > 2000 mg/kg bodyweight LC50 Inhalation - Rat > 5 mg/l Distillates (petroleum), hydrotreated middle (64742-46-7) LD50 oral rat > 5000 mg/kg Source: ECHA LD50 dermal rabbit > 2000 mg/kg Source: EHCA LC50 Inhalation - Rat (Dust/Mist) > 4.6 mg/l Source: ECHA ATE US (dust, mist) 1.5 mg/l/4h Not classified Skin corrosion/irritation • Not classified Serious eye damage/irritation Respiratory or skin sensitisation Not classified 1 Germ cell mutagenicity : Not classified Carcinogenicity Not classified. Reproductive toxicity Not classified · Not classified STOT-single exposure · STOT-repeated exposure Not classified Aspiration hazard : Not classified Viscosity, kinematic : 110.5 - 145.95 mm<sup>2</sup>/s @ 40°C White Mineral Oil (8042-47-5) Viscosity, kinematic > 3 mm²/s Distillates (petroleum), hydrotreated middle (64742-46-7) > 20.5 mm²/s (40 °C, Niet experimenteel bepaald; afgeleid van de indeling) Viscosity, kinematic Hydrocarbon Yes

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information				
12.1. Toxicity				
Ecology - general :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.			
Distillates, hydrotreated heavy paraffinic (64742-54-7)				
LC50 - Fish [1]	> 5000 mg/l			
EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID			
EC50 96h - Algae [1]	> 1000 mg/l Source: IUCLID			
White Mineral Oil (8042-47-5)				
LC50 - Fish [1]	> 100 mg/l			
12.2. Persistence and degradability				
White Mineral Oil (8042-47-5)				
Persistence and degradability	Not readily biodegradable in water.			
12.3. Bioaccumulative potential				
Distillates, hydrotreated heavy paraffinic (647	42-54-7)			
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID			
White Mineral Oil (8042-47-5)				
BCF - Other aquatic organisms [1]	1216 l/kg			
Partition coefficient n-octanol/water (Log Pow)	5.18			
Bioaccumulative potential	Potential for bioaccumulation (500 $\leq$ BCF $\leq$ 5000).			
Distillates (petroleum), hydrotreated middle (	64742-46-7)			
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID			
12.4. Mobility in soil				
White Mineral Oil (8042-47-5)				
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.64			
Ecology - soil	Low potential for adsorption in soil.			
12.5. Other adverse effects				
No additional information available				

No additional information available

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 14: Transport information** In accordance with DOT / TDG / IMDG / IATA DOT TDG IMDG ΙΑΤΑ 14.1. UN number Not regulated for transport 14.2. Proper Shipping Name Not applicable Not applicable Not applicable Not applicable Transport document description Not applicable Not applicable Not applicable Not applicable 14.3. Transport hazard class(es) Not applicable Not applicable Not applicable Not applicable 14.4. Packing group Not applicable Not applicable Not applicable Not applicable 14.5. Environmental hazards Not applicable Not applicable Not applicable Not applicable No supplementary information available

14.6. Special precautions for user

DOT

No data available

TDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### **15.1. US Federal regulations**

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Distillates, hydrotreated heavy paraffinic	64742-54-7	Present	Active	
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	Present	Active	
White Mineral Oil	8042-47-5	Present	Active	
Distillates (petroleum), hydrotreated middle	64742-46-7	Present	Active	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	CAS-No.		Commercial status	Flags
01154100-5153P	Trade Secret	Not present	-	

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### **15.2. International regulations**

### CANADA

Distillates, hydrotreated heavy paraffinic (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List)

### Lubricating oils, petroleum, hydrotreated spent (64742-58-1)

Listed on the Canadian DSL (Domestic Substances List)

### White Mineral Oil (8042-47-5)

Listed on the Canadian DSL (Domestic Substances List)

### Distillates (petroleum), hydrotreated middle (64742-46-7)

Listed on the Canadian DSL (Domestic Substances List)

### **EU-Regulations**

No additional information available

### **National regulations**

Distillates, hydrotreated heavy paraffinic (64742-54-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Lubricating oils, petroleum, hydrotreated spent (64742-58-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### White Mineral Oil (8042-47-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

ates (petroleum), hydrotreated middle (64742-40

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 01/25/2023


## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### NFPA health hazard

NFPA fire hazard NFPA reactivity

- : 1 Materials that, under emergency conditions, can cause significant irritation.
- : 1 Materials that must be preheated before ignition can occur.
- : 0 Material that in themselves are normally stable, even under fire conditions.



#### Safety Data Sheet (SDS), USA

Information provided in this Safety Data Sheet is considered accurate and reliable based on information issued from internal and outside sources to the best of Martin Operating Partnership L.P.'s knowledge; however, Martin Operating Partnership L.P. makes no representations, guarantees or warranties, expressed or implied, of merchantability or fitness for the particular purpose, regarding the accuracy of such information or the result to be obtained from the use thereof or as to the sufficiency of information herein presented. Martin Operating Partnership L.P. assumes no responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.

This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, Martin Operating Partnership L.P., must rely upon information provided by the material manufacturers or distributors.