

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

Product: Windshield Washer Solvent, Concentrate

BugGard Windshield Washer Cleaner

Not applicable for mixtures **CAS Registry Number:**

Windshield Washer Solution, Windshield Washer Antifreeze and Synonyms:

Summer Coolant,

Generic/Chemical Name: Alcohol solution/mixture. **Product Type:** Water, alcohol and solvent

ChemTrec 800-424-9300 **Emergency:** Martin Lubricants;

A Division of Martin Operating Partnership L.P.

484 East 6th Street Information: 870-881-8700 Smackover, AR 71762 870-864-8656 Fax.

USA www.martinlubricants.com

SECTION 2 HAZARDS IDENTIFICATION

WARNING: **CONTAINS METHANOL**

CAUSES EYE, SKIN, NOSE AND THROAT IRRITATION. MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED.

CANNOT BE MADE NONPOISONOUS

	NPCA-HMIS	KEY
HEALTH:	2	0 = Minimal
FIRE:	3	1 = Slight
REACTIVITY:	0	2 = Moderate
SPECIFIC HAZARD:	N/A	3 = Serious
PROTECTION INDEX:	В	4 = Severe

Eye Contact: Causes eye irritation and drying. Keep out of eyes.

Skin Contact: Avoid skin contact. Causes skin irritation. Harmful if absorbed through skin,

causes damage to liver, kidney and nervous system.

Harmful if inhaled, causes damage to liver, kidney and nervous system. Inhalation:

Causes nose and throat irritation.

May be fatal or cause blindness if swallowed. Cannot be made non-Ingestion:

poisonous.

SECTION 3	COMPOSITION / INFORMATION ON INGREDIENTS					
INGREDIENTS	CAS#	%	ACGIH TWA	OSHA PEL	OSHA STEL	SKIN
Methanol	67-56-1	5 - 20	200 ppm	200 ppm	250 ppm	YES
Tetra-sodium EDTA	64-02-8	< 1	10 ppm	10 ppm	N D.	NO
Sodium Tetra-borate Penta-hydrate	1303-96-4	< 1	1 mg/m3	1 mg/m3	5 mg/m3	NO
Inert ingredients	Mixture	80 - 95	ND	ND	ND	NO

There are no additional ingredients present which the current knowledge and in concentration applicable, are classified as hazardous to health or environment and hence require reporting in this section.

ABBREVIATIONS:



NE: None Established NA: Not Applicable (1): NIOSH Guidelines (2) "Manufacturer Recommendation" Short Term Exposure Limit ND: Not Determined

SECTION 4 FIRST AID MEASURES

Eye Contact: Immediately flush eyes with large amounts of water and continue flushing

until irritation subsides. If irritation persists call a physician. If material is hot,

treat for thermal burns and take victim to hospital immediately.

Skin Contact: Remove contaminated clothing. Wash contaminated area thoroughly with

soap and water. If redness or irritation occurs, seek medical attention. If material is hot, submerge injured area in cold water. If victim is severely burned, remove to a hospital immediately. Wash contaminated clothing

before reuse.

Inhalation: If inhaled remove to fresh air. If difficulty in breathing occurs, give oxygen,

call a physician. Seek medical attention if irritation or discomfort persists.

Ingestion:

As little as 60 ml may cause blindness or fatality. Immediately give two

glasses of water and induce vomiting. Call physician. Never give anything

by mouth to an unconscious person.

Note to physician: Provide standard methanol ingestion treatment. To prepare the antidote,

make a solution using 100 ml of 100-proof ethyl alcohol (grain alcohol) in 2000 ml of water and give 1.5 ml per kg of body weight or 100 ml for an average adult. Following this, at 2 hour intervals for 4 days, give the antidote (0.5 - 1.0 ml/kg of body weight) orally or intravenously to reduce the metabolism of the methanol and to allow time for its excretion. Blood

ethanol levels should be maintained at 1.0 - 1.5 mg/ml.

SECTION 5 FIRE FIGHTING MEASURES

Flash Point: Min. 12°C (54°F) by Tag Closed Cup, ASTM D 56

Upper Flammable Limit: Not determined Lower Flammable Limit: Not determined

Extinguishing Media: Use dry chemical, alcohol foam, water spray, water fog or carbon dioxide if

appropriate for the surrounding fire.

Special Fire Fighting

Procedures:

Exercise caution when fighting any chemical fire. Evacuate affected area, stay upwind and avoid smoke and fumes. Use water spray to cool containers. If smoke and fumes cannot be avoided, a self-contained

breathing apparatus and protective clothing are essential.

Unusual Fire and

Explosion Hazards:

Flammable Liquid. Flame is invisible in daylight. Methanol-water mixtures will burn unless very dilute. Mixtures with 25% or more methanol are OSHA Class I flammable liquids. Follow appropriate National Fire Protection

Association (NFPA) codes.

By-products of Combustion:

Thermal decomposition or combustion will produce carbon dioxide and

water. Incomplete combustion may produce carbon monoxide

Auto-ignition Temperature: Not determined Explosion Data: Not determined

SECTION 6 ACCIDENTAL RELEASE MEASURES

Spill Procedures (Land): Wearing appropriate personal protective equipment, contain spill, collect

onto inert absorbent and place into suitable containers.

WINDSHIELD WIPER FLUID, CONCENTRATE
Page 2 of 6



Spill Procedures (Water): Completely water-soluble. Flush spill area with plenty of water. DO NOT

flush to sewers. AQUATIC TOXICITY: 96 hour LC50 for fathead minnows

is 28,100 mg/L.

Waste Disposal

Method:

All disposals must comply with federal, state and local regulations. CERCLA Reportable Quantity is 5000 pounds. The material, if spilled or discarded is a regulated RCRA hazardous waste number U154. May be

disposed of by incineration, bio

SECTION 7 HANDLING AND STORAGE

Handling Procedures: Keep away from heat, sparks or flame. Do not mix with strong oxidizers,

chromic anhydride, lead perchlorate or perchloric acid. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated breathing of vapors. Use with adequate ventilation. Wash thoroughly after handling. Keep

container tightly closed when not in use.

Storage Procedures: Keep away from heat, sparks or flame. Keep containers tightly closed. Do

not store near strong oxidizers, chromic anhydride, lead perchlorate or

perchloric acid. Store in adequately ventilated areas.

Additional Information: No additional information.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Protection: Applicable mainly to persons in repeated contact situations such as

packaging of product, service/maintenance and cleanup/spill control

personnel.

Respiratory Protection: Good general ventilation should be provided to keep vapor concentrations

below the exposure limits. When misting may occur in the work area, use a NIOSH approved respirator in accordance with respirat5ory requirements of

OSHA 29 CFR 1910.134.

Eye Protection: Eye protection is always recommended. Use chemical splash goggles or

face shield.

Hand Protection: Use of an apron or other protective clothing is recommended to avoid skin

absorption. Launder soiled clothes.

Other Protection: Use of an apron and over-boots of chemically impervious materials such as

neoprene or nitrile rubber is recommended to avoid skin sensitization. If handling hot material use insulated protective equipment. Launder soiled clothes. Properly dispose of contaminated leather articles and other

materials, which cannot be decontaminated.

Local Control Measures: Use adequate ventilation when working with material in an enclosed area.

Use local exhaust ventilation where mist or spray may be generated. Eyewash stations and showers should be available in areas where this

material is used and stored.

Other: This substance is a POISON. Consumption of food and drink must be

prohibited in work areas where product is present. Always wash hands and

face with soap and water before eating, drinking or smoking.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Vapor Pressure: 128 mm Hg @, 25°C at 1 ATM)

Gravity by ASTM D 1298:

API Gravity 17.8 Specific Gravity @ 15.6°C 0.9480

WINDSHIELD WIPER FLUID, CONCENTRATE
Page 3 of 6
484 E. 6TH STREET • SMACKOVER, AR 71762 • PHONE 870-881-8700 • www.martinlubricants.com



Density @ 15.6°C 7.910

Solubility Miscible

Percent Volatile: Negligible at STP

Vapor Density, Air = 1: 1.11 at STP

Evaporation Rate,

5.2 at STP

n-Butyl Acetate = 1:

Odor: Weak odor

Appearance: Alcohol like

Boiling Point: 64.7°C

Molecular Weight: 32.04

SECTION 10 STABILITY AND REACTIVITY

Stability: Material is stable at room temperature and pressure.

Conditions To Avoid: Do not store or mix with strong oxidizers, chromic anhydride, lead

perchlorate or perchloric acid (reacts vigorously).

Incompatibility With Other

Materials:

Avoid contact with acids and oxidizing materials.

Decomposition Products: Thermal decomposition or combustion will produce carbon dioxide and

water. Incomplete combustion will produce carbon monoxide.

Hazardous Polymerization: Will not occur.

SECTION 11 TOXICOLOGICAL INFORMATION

Oral Toxicity: Product oral LD50 (rat) = 9,150 mg per kg of body weight.

Dermal Toxicity: Skin Absorption LD50 (rabbit) = 15,840 mg per kg of body weight.

Inhalation Toxicity: Inhalation 1 hour LC50 (rat) = 145,000 parts per million.

Dermal Sensitization: Prolonged or repeated contact may make skin more sensitive to other skin

sensitizers. Based on data from similar materials.

Chronic Toxicity: Methyl Alcohol is considered a chronic toxin.

No ingredients listed by IABC NTB or OSHA

Carcinogenicity: No ingredients listed by IARC, NTP or OSHA.

Mutagenicity:Not a mutagen.Reproductive Toxicity:Not determinedTeratogenicity:Not determinedOther:Not determined

SECTION 12 ECOLOGICAL INFORMATION

Environmental Toxicity: Aquatic Toxicity: The 96 hour LC50 for fathead minnows is 28,100 mg per

Liter.

Environmental Fate: No data available.



SECTION 13 DISPOSAL CONSIDERATIONS

Waste Disposal: Discarded product as sold is a listed RCRA hazardous waste (U154).

Waste management should be in full compliance with federal, state and

local laws.

Disposal Consideration: Place used, spilled, contaminated or excess material into disposable

containers and dispose of with a licensed contractor in a manner consistent

with local and state regulations.

SECTION 14 TRANSPORT INFORMATION

U.S. DOT Information

Bulk Shipping Description: Methanol

Non-Bulk Shipping

Description:

Methanol

Identification Number: UN 1230.

Hazard Classification: Class 3 Flammable Liquid.

Other: See 49 CFR for additional requirements for descriptions, allowed modes of

transport and packaging. For more information concerning spills during transport, consult latest DOT Emergency Response Guidebook for

Hazardous Materials Incidents, DOT P 5800.3.

IMDG InformationNot determinedIATA InformationNot determined

SECTION 15 REGULATORY INFORMATION

Clean Water Act/Oil

Pollution Act:

Not applicable.

TSCA: All components of this material are listed in the U.S. TSCA Inventory.

Other TSCA: Not applicable

SARA Title III: Section 302/304 Extremely Hazardous Substances: None

Section 311/312 <u>Hazard Categorization:</u>

Acute (immediate health effects): YES
Chronic (delayed health effects): YES
Fire (hazard): YES
Reactivity (hazard): No

No

Pressure (sudden release hazard):

Section 313 Toxic Chemicals: Methanol

CERCLA: For stationary sources - reportable quantity: 5,000 pounds.

Due to: Methanol.

For moving sources - reportable quantity: 5,000 pounds.

Due to: Methanol.

Recommend contacting the local authorities in the event of any type of spill to determine local reporting requirements and also to aid in the cleanup.

WINDSHIELD WIPER FLUID, CONCENTRATE
Page 5 of 6



California Prop. 65: Not applicable

SECTION 16

OTHER INFORMATION

Information provided in this Safety Data Sheet is considered accurate and reliable based on information issued from internal and outside sources to the best of Martin Operating Partnership's knowledge; however, martin operating partnership makes no representations, guarantees or warranties, expressed or implied, of merchantability or fitness for the particular purpose, regarding the accuracy of such information or the result to be obtained from the use thereof or as to the sufficiency of information herein presented. Martin Operating Partnership assumes no responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.

This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, Martin Lubricants; A Division of Martin Operating Partnership L.P., must rely upon information provided by the material manufacturers or distributors.

Prepared by: David Collins

File: SDS – Windshield Fluid Concentrate

Revision: 08/03/20013

Safety Data Sheet conforms to ANSI Z400.1-2004 Standard - United States