Product Information



Multi-Purpose EP-2 Grease

Lithium-12 Hydroxy Stearate Base Water Resistant and Excellent Rust Protection

DESCRIPTION

Gard[™] Multi-Purpose EP2 Grease is designed for a wide variety of automotive and industrial applications where a multi-pupose NLGI #2 Extreme Pressure grease is recommended. Gard[™] Multi-Purpose Grease is formulated with a premium Extreme Pressure, Anti-wear and Rust & Oxidation additive package in a Lithium Stearate mixed base thickener.

APPLICATION

Recommended for automotive, truck and off-road equipment in ball joints, universal joints, king pins, bushings, roller bearings, chassis lubrication and fifth wheel lubricant, as well as industrial plain, friction and roller bearings operating at normal temperatures and speeds and service in contaminating environments.

This grease will satisfy 80% of automotive and industrial applications.

BENEFITS

- Superior Extreme Pressure (EP) performance.
- Lithium/Calcium mixed base thickener compatible with most greases
- Water insoluble
- High Loading and Shock Loading capabilities

PERFORMANCE LEVELS

NLGI Rated LB for Automotive Chassis Usage



MARTIN LUBRICANTS, A Division of Martin Operating Partnership L.P.

SMACKOVER, AR 71762 ■ USA ■ PHONE 800 864-6275 ■ www.martinlubricants.com

Product Information

TYPICAL PROPERTIES NLGI Consistency Thickener Texture Color, Observed	Method	TYPICAL RESULTS 2 Lithium-12 Stearate Smooth, Tacky Blue
Worked Penetration, 60 strokes	D-217	265-295
Dropping Point, °C. (°F)	D-2265	185 (365) Min.
Water Washout @ 100°F	D-1264	5.0
Timken OK Load, lb	D-2509	50
Four-Ball EP Weld Point, kgf	D-2596	300 (250 Min)
Approximate Temperature Range, °C, (°F)		-18 to 129 (0 to 265)
Martin Lubricants Item Number		501770
MSP Code		NLG-1001

The information on this Product Data Sheet is believed to be accurate and is typical of current production. Specifications are subject to change without notice.

Health And Safety Information See separate Safety Data Sheets available on request.

Gard™ and **Martin Lubricants™** are trademarks of Martin Lubicants. All other marks are property of their respective owners.

