

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 7/12/2024 Revision date: 7/12/2024 Supersedes: 10/6/2014 Version: 2.0

### **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Product name : Gard™ Concrete Release Oil 2006

Product code : 569432

### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Lubricating oil

### 1.3. Supplier

Martin Lubricants 484 East 6th St. Smackover, AR 71762

### 1.4. Emergency telephone number

Emergency number : CHEMTREC (800) 424-9300

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

### **GHS US classification**

Skin sensitisation, Category 1 H317 May cause an allergic skin reaction.

Aspiration hazard, Category 1 H304 May be fatal if swallowed and enters airways.

Full text of H-statements: see section 16

### 2.2. GHS Label elements, including precautionary statements

### **GHS US labelling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H304 - May be fatal if swallowed and enters airways.

H317 - May cause an allergic skin reaction.

Precautionary statements (GHS US) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing must not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 - If swallowed: Immediately call a poison center or doctor.

P302+P352 - If on skin: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P331 - Do NOT induce vomiting.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

 $\ensuremath{\mathsf{P501}}$  - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 2.4. Unknown acute toxicity (GHS US)

No additional information available

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Hydrotreated Heavy Naphthenic Base Oil	CAS-No.: 64742-52-5	72.25 – 85
Hydrotreated light petroleum distillates	CAS-No.: 64742-47-8	10 – 20
Tall oil, fatty acids reaction products with diethylenetriamine	CAS-No.: 61790-69-0	1.8 – 3

Full text of hazard classes and H-statements : see section 16

## **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

## 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

## 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### Gard™ Concrete Release Oil 2006

No additional information available

### Hydrotreated Heavy Naphthenic Base Oil (64742-52-5)

No additional information available

## Tall oil, fatty acids reaction products with diethylenetriamine (61790-69-0)

No additional information available

### Hydrotreated light petroleum distillates (64742-47-8)

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

7/12/2024 (Revision date) US - en 3/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Environmental exposure controls : Avoid release to the environment.

## 8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Personal protective equipment symbol(s):







## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless

Odour : Mixture contains one or more component(s) which have the following odour:

Odour threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available : No data available

Boiling point : Expected to be >260°C (500°F)

Flash point : 130 °C

Relative evaporation rate (butylacetate=1) : Negligible at STP

Flammability (solid, gas) : Flash Point at or above 200 °F

Not applicable.
: Negigible at STP
: > 1 at STP

Relative vapour density at 20 °C : > 1 at STP
Relative density : 0.891
Density : 7.437 lb/gal

Solubility : Material nearly insoluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available

Viscosity, kinematic :  $12.36 \text{ mm}^2\text{/s} \textcircled{@} 40^{\circ}\text{C} (104^{\circ}\text{F})$ 

Viscosity, dynamic : No data available Explosive limits : No data available Explosive properties : No data available Oxidising properties : No data available

### 9.2. Other information

Vapour pressure

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Hydrotreated Heavy Naphthenic Base Oil (64742-52-5)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)	
LD50 dermal rabbit	2000 mg/kg Source: IUCLID	
LC50 Inhalation - Rat (Dust/Mist)	5.53 mg/l Source: ECHA	
ATE US (dermal)	2000 mg/kg bodyweight	
ATE US (dust,mist)	5.53 mg/l/4h	

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423
	(Acute Oral toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral
	Toxicity), Remarks on results: other:

Hydrotreated light petroleum distillates (64742-47-8)		
LD50 oral rat	> 15000 mg/kg Source: IUCLID	
LD50 dermal rabbit	> 2000 mg/kg Source: IUCLID	
LC50 Inhalation - Rat (Dust/Mist)	> 5.2 mg/l Source: IUCLID	
Oldin annualing/imitation	Not described	

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Tall oil, fatty acids reaction products with diethylenetriamine (61790-69-0)

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified.

7/12/2024 (Revision date) US - en 5/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Hydrotreated Heavy Naphthenic Base Oil (64742-52-5)		
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)	
NOAEL (dermal, rat/rabbit, 90 days)	≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)	
Aspiration hazard :	May be fatal if swallowed and enters airways.	

: 12.36 mm<sup>2</sup>/s @ 40°C (104°F) Viscosity, kinematic

Hydrotreated Heavy Naphthenic Base Oil (64742-52-5)	
Viscosity, kinematic	1.99 – 847 mm²/s Temp.: '40°C' Parameter: 'mm²/smm2/s '
Hydrocarbon	Yes

Symptoms/effects after skin contact : May cause an allergic skin reaction.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hydrotreated Heavy Naphthenic Base Oil (64742-52-5)			
LC50 - Fish [1] > 5000 mg/l Source: IUCLID			
EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID		
EC50 96h - Algae [1] > 1000 mg/l Source: IUCLID			
Tall oil, fatty acids reaction products with diethylenetriamine (61790-69-0)			
LC50 - Fish [1] > 11 mg/l Test organisms (species): Danio rerio (previous name: Brachy			
EC50 72h - Algae [1]	> 10 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
EC50 96h - Algae [1] 0.328 mg/l Source: ECOSAR			
Hydrotreated light petroleum distillates (64742-47-8)			
LC50 - Fish [1] 2.4 mg/l Source: ECOTOX			

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

Hydrotreated Heavy Naphthenic Base Oil (64742-52-5)		
Partition coefficient n-octanol/water (Log Pow) 3.9 – 6 Source: IUCLID		
Hydrotreated light petroleum distillates (64742-47-8)		
Partition coefficient n-octanol/water (Log Pow) 3.3 – 6 Source: IUCLID		

## 12.4. Mobility in soil

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA	
14.1. UN number	14.1. UN number			
Not regulated for transport				
14.2. Proper Shipping Name				
Not regulated	Not regulated	Not regulated	Not regulated	
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	
No supplementary information available				

## 14.6. Special precautions for user

DOT

Not regulated

**TDG** 

Not regulated

**IMDG** 

Not regulated

ΙΑΤΑ

Not regulated

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	CAS-No.	Listing	Commercial status	Flags
Hydrotreated Heavy Naphthenic Base Oil	64742-52-5	Present	Active	
Tall oil, fatty acids reaction products with diethylenetriamine	61790-69-0	Present	Active	
Hydrotreated light petroleum distillates	64742-47-8	Present	Active	

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

### **CANADA**

### Hydrotreated Heavy Naphthenic Base Oil (64742-52-5)

Listed on the Canadian DSL (Domestic Substances List)

### Tall oil, fatty acids reaction products with diethylenetriamine (61790-69-0)

Listed on the Canadian DSL (Domestic Substances List)

### Hydrotreated light petroleum distillates (64742-47-8)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

### **National regulations**

### Hydrotreated Heavy Naphthenic Base Oil (64742-52-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## Hydrotreated light petroleum distillates (64742-47-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 7/12/2024

Full text of H-statements	
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.

### Hazard Rating

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F

but below 200 F. (Classes II & IIIA)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

: B - Safety glasses, Gloves

Safety Data Sheet (SDS), USA

Personal protection

Information provided in this Safety Data Sheet is considered accurate and reliable based on information issued from internal and outside sources to the best of Martin Operating Partnership L.P.'s knowledge; however, Martin Operating Partnership L.P. makes no representations, guarantees or warranties, expressed or implied, of merchantability or fitness for the particular purpose, regarding the accuracy of such information or the result to be obtained from the use thereof or as to the sufficiency of information herein presented. Martin Operating Partnership L.P. assumes no responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.

This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, Martin Operating Partnership L.P., must rely upon information provided by the material manufacturers or distributors.

7/12/2024 (Revision date) US - en 9/9